



WITNESS EXPERTISE  
IN ACTION


**iRoll Junior**  
(Blood Tube Rotator)

## iRoll Junior

(Blood Tube Rotator)

When it comes to Blood Tube Rotators, efficient and reliable performance and durability matter the most. Additionally, considering the lack of space in laboratories, the size of the device relative to its capacity also plays an important role in determining the satisfaction of users. But, most mass-market blood tube rotators don't take the pain to understand the customers' requirements and as a result suffer from obvious flaws like expansive designs which occupy too much space.

Neuation's R&D department invests a lot of time and effort to understand customer feedback and their requirements to design a device which offers exactly what customers want. Powered with an AC synchronous motor, Neuation's iRoll Jr. offers powerful and efficient noiseless performance. Also, intelligently designed architecture of the device makes it amazing compact, whereas high-quality components and materials make it extremely lightweight. The end-result is a device which fits in the smallest of spaces and is amazingly portable.



## Product Features



Can Easily Accommodate  
Upto 6 ml x 10 Blood  
Collection Tubes.



Circular Motion Provides  
Gentle But Effective Mixing  
For Best Results Without  
Damaging Your Samples.



Fixed Speed Of 30 RPM  
And Is Accurate Up  
To +/- 2 RPM.

Infinite Mode  
Lets The Device Run  
Without Any Time Limit.



AC Synchronous Motor  
For Efficient Noiseless  
Operation.



Operational Weight Capacity  
Of 1 Kg To Process Large  
Batches At Once.



## Product Features



Use Of Strong Metal  
Makes For Robust And  
Highly-durable Construction.



Compact Design Makes  
For A Device That Saves  
Valuable Bench Space.

IP 21 Compliant Rating  
Provides An Assurance Of  
Durability And Quality.



# Specifications

| Specifications        | iRoll Junior          |
|-----------------------|-----------------------|
| Capacity              | 10 x 6 ml             |
| Motor Type            | AC Synchronous        |
| Speed                 | 30 RPM Fix            |
| Run Time              | Continuous / Infinite |
| Speed Accuracy        | ± 2 RPM               |
| Removable Plate       | Yes                   |
| Noise Level           | Noiseless operation   |
| Max Loading Capacity) | 1 kg                  |
| Dimension (W x D x H) | 190 x 135 x 133 mm    |
| Protection Class      | IP 21                 |

# Ordering Information

| iRoll Junior     |                              |                   |
|------------------|------------------------------|-------------------|
| Product Name     | Cat #                        | Details           |
| iRoll Jr. (220V) | iRoll Jr. - 1200 EU/ UK / US | Mini Roller Mixer |
| iRoll Jr. (110V) | iRoll Jr. - 1100 US          | Mini Roller Mixer |

| Accessories            |       |                                 |
|------------------------|-------|---------------------------------|
| Part Name              | Cat # | Details                         |
| Tube Holder Attachment | CA10  | Clamp attachment with 10 clamps |
| Tube Holder            | DR-H3 | Individual Clamp                |

**NEUATION**  
**TECHNOLOGIES**  
 www.neuation.com

AN ISO 9001 : 2015 & ISO 13485 : 2016 CERTIFIED MFG. COMPANY

\*We also execute OEM projects. Specifications can be changed without notice for quality improvement.